

SPRO®

VI-MODULE01-A

VI-MODULE01-B

VI-MODULE01-C

Modular Outdoor Station



MICROPHONE



IP54



VANDAL PROOF




DAY/NIGHT



DC12V



IPHONE & ANDROID
PHONE VIEWING



Key Features:

- HD CMOS camera
- Stainless steel panel, IP54,IK07
- Night vision & Voice indication
- Video & Audio messaging
- Remote intercom with mobile APP
- Surface mounted & Flush mounted

SPECIFICATIONS


Model Number	VI-MODULE01-A
Main Processor	Embedded Micro Processor
Operating System	Embedded LINUX OS
Video	
Video Compression	H.264
Image Sensor	1/3" 1.3MP CMOS
Lens	2.8mm
Angle of View	D:80° H:75°
Day/Night	Day/Night
Audio	
Audio Compression	G.711
Audio Input	Omnidirectional Mic
Audio Output	Built-in Speaker
Bidirectional Talk	Support Dual-way Bidirectional talk

(continued)


Operation Mode**Keypad** Mechanical Button**Interface****Door Control** 2(1 relay out for main lock, 1 extended by access control module)**Alarm In** 2(1ch unlock button, 1ch feedback)**RS485** 1**Network****Ethernet** 10M/100Mbps Self-adaptive**Network Protocol** TCP/IP**General - VI-MODULE01-A****Ingress Protection** IP54, IK07**Tamper Switch** 1**Installation** Surface & Flush**Material** Stainless Steel**Power** DC 12V / POE Provided by VI-SWITCH01**Power Consumption** Standby $\leq 1W$, Work $\leq 10W$ **Working Temperature** $-40^{\circ}C \sim +60^{\circ}C$ **Relative Humidity** 10%~90%RH**Dimensions** 110.7mm×118.1mm×42.3mm**Weight** 0.36Kg**Proximity Sensor** N/A**General - VI-MODULE01-B****Material** Stainless Steel**Power** Supply by VI-MODULE01-A**Power Consumption** Standby $\leq 0.1W$, Work $\leq 0.45W$ Standby $\leq 0.3W$, Work $\leq 0.3W$ **Working Temperature** $-40^{\circ}C \sim +60^{\circ}C$ **Relative Humidity** 10%~90%RH**Dimensions** 110mm×120mm×24.9mm**Weight** 0.27Kg**Proximity Sensor** N/A

General - VI-MODULE01-C

Material	Stainless Steel
Power	Supply by VI-MODULE01-A
Power Consumption	Standby $\leq 0.1W$, Work $\leq 0.45W$
Working Temperature	$-40^{\circ}C \sim +60^{\circ}C$
Relative Humidity	10%~90%RH
Dimensions	110mm×120mm×29mm
Weight	0.32Kg
Proximity Sensor	N/A





VI-MODULE01-A Front panel and rear panel



VI-MODULE01-B

VI-MODULE01-C



All specifications are subject to change without notice. Copyright © Luxrite Ltd. All rights reserved